



The Leader of Luxury Pool
Innovation & Healthy Pool



J.D.POOLS GROUP

Pool Specialists


Since 1997 | ISO Certified

Company Profile

We're Pool Specialists

J.D.Pools Group Company of Thai has established since 1997 in Phuket and also is new Technology originator of swimming pools into Thai market. It has never stopped the development of Technology.

Our customer has both of small and large project like individual house, village project, condominium and resort.





Company Profile —————

Why J.D.Pools Technology

- The 1st ISO Pools Company in Thailand
- World Class Standard Manufacturer
- No.1 Network of Quality Pool and Service
- Over 25 years experience
- Constructed more than 17,000 pools
- The only one pool exporter from Thailand
- Healthy and Green Environment

Company Profile

ISO 9001 Certified

As a world-class pool manufacturer, J.D.Pools produces a complete series of pool products- from smart pool panel made from Polypropylene, pool filter, Composite pools and complete pool accessories – in its own production facilities. This allows us to assure that our customers are fully supported with quality products and services. Indeed, J.D.Pools is the first swimming pool company in Thailand to receive ISO 9000 certified by UKAS Management Systems



Company Profile

Pool Factory Training Center

We are the largest swimming pool panel, fiberglass pool, filter and others accessories are manufactured in a 20,000 m² factory in Phuket, Thailand.



Company Profile

Worldwide Expansion

**We export our pools to more than
20 countries**

The only one pool exporter from Thailand with our highest manufacturing standard, we are the only swimming pool company launches product to the world market.



Company Profile

No.1 Quality Pool Network

J.D.Pools is now Thailand's largest pool builder and maintenance network, with 22 showrooms operating across Thailand. All showroom comprises of the real pool sample and retail stores, owned by experienced pool professional at local and regional levels.





Pool Type _____

iPanel Liner Pool

Personal Imagination - Concrete Strength - PVC Liner Safe & Softness

iPanel Liner Pool

iPanel Liner Pool

Express your style in custom shaped pool. The core strength of every J.D.Pools swimming pool comes from our patented permanent intelligent panel, reinforced and finished with concrete. Perfectly fits the entire inner surface with a leak-free PVC liner, turning every moment in your pool into a relaxing experience.




iP Liner Pool

“Personal Imagination

iPanel Liner Pool

3 Advantages of iP Concept



01. Injection Panel

iPanel (Intelligent Panel)
With Concrete :
10 Year Structural Warranty

02. PVC Liner

J.D.Pools Liner (Pool finishing) :
10 Year Warranty

03. Filtration System


TE Filter - Technology
Embedded

iPanel Liner Pool

Injection Panel


**iPanel (Intelligent Panel) With Concrete :
10 Year Structural Warranty**

- Produced by polypropylene combined with concrete
- Can be designed for any size and shape
- Durability – no cracks or leaks from ground movement
- 10 year warranty on iPanel structure



iPanel Liner Pool

Injection Panel




Front



Back



Corner



iPanel Liner Pool

Petty Patent of Pool Panel




iPanel Liner Pool _____

PVC Liner

J.D.Pools Liner (Pool finishing) :
10 Year Warranty

- Fabric is designed and Produced under the license from Australia
- 100% leak-free, durable and fitted to structure
- Easy clean, anti-bacteria
- No more tiles cracking or leak problem, Soft touch and anti-slip



J.D.Pools Liner

High density and Anti slip surface



Other Liner

Less density and slippery surface


iPanel Liner Pool

PVC Liner

Unicolor-Ice Blue

Superior pool lining featuring enhanced UV, Color fastness, Chlorine and bacterial resistance, Thickness 1 mm and 1.5 mm.

Ice Blue





iPanel Liner Pool


Filtration System

Technology Embedded Filter

- Invisible filter case, Luxury design and smooth with the pool
- No obstructed hanging look
- Flat on top side, smooth with terrace
- 2 Filter bags show highest performance

iPanel Liner Pool

Filtration System Installation



iPanel Liner Pool

Construction Process



1. Layout and Excavation



2. Reinforced Rebar Slab and Levelling Blocks



3. Assembly of Permanent iPanel



4. TE Filter Installation



5. Pours concrete into pool slab and wall in a single process



6. Laying coping stones and then ready for PVC lining



7. PVC lining complete



8. Pool filled with water and ready to enjoy!!



Pool Gallery —


iPanel Liner Pool

Project : Private House
Location : Nonthaburi
Design : Liberty Design
Size : 15x5 m. Dept 1.20 m.
Color: Ice Blue with Logo

Pool Gallery ———

iPanel Liner Pool

Project : Private House
Location : Bangkok
Design : Rectangular
Size : 10x3 m. Dept 1.20 m.
Color: Ice Blue





Pool Gallery ———

iPanel Liner Pool

Project : Private House
Location : Bangkok
Design : Rectangular
Size : 8x4 m. Dept 1.20 m.
Color: Ice Blue

Pool Gallery ———

iPanel Liner Pool

Project : Private House
Location : Chiang Mai
Design : Liberty Design, Infinity Edge
Size : 12.4x4 m. Dept 1.20-1.60 m.
Color: Ice Blue



Pool Gallery

iPanel Liner Pool

Project : Private House
Location : Bangkok
Design : Rectangular
Size : 8x4 m. Dept 1.20 m.
Color: Ice Blue





Pool Gallery —

iPanel Liner Pool

Project : International House
Location : Chiang Mai
Design : Half Olympic, Swimming Lane
Size : 25x10 m. Dept 1.50 m.
Color: Ice Blue with Logo

Pool Gallery

iPanel Liner Pool

Project : Chokchai Panchasarp, Ramkhamhaeng
Location : Bangkok
Design : Free Form
Color: Ice Blue with Logo





Pool Gallery ———

iPanel Liner Pool

Project : Craftsman Hotel Bangkok

Location : Bangkok

Design : Rectangular






Pool Gallery

iPanel Liner Pool

Project : PAJAMAS Koh Chang
Location : Koh Chang, Trat
Design : Freeform
Size : 12x4.5 m. Dept 1.20 m.
Color: Ice Blue with Logo





Pool Gallery ———

iPanel Liner Pool

Project : THE STORIES RESORT
Location : Rayong
Design : Rectangular
Size : 20x4 m. Dept 1.20 m.
Color: Ice Blue



Pool Gallery ———

iPanel Liner Pool

Project : Regent's International School
Location : Bangkok
Design : Rectangular
Size : Half Olympic
Color: Ice Blue

WWW.JDPOOLS.COM

20
22





The Leader in Luxury Pools
since 1982



WWW.JDPOOLS.COM

20
22



Pool Type _____

DaVinci Blue

Premium 3D Collection

Da Vinci Blue

Da Vinci Blue Concept

**The revolutionary of swimming pool.
When luxury and technology fused into one.**

The design reflects the luxury of life. Reveals a striking difference with innovative products imported from all over the world. Enhancing to a stronger structural, intelligent iPanel, installed by a professional team. The design will transform your pool to stand out from the rest



Da Vinci Blue

**"Premium 3D
Collection"**

Da Vinci Blue

Stone Flex Marble

We, J.D.Pools also saw the beauty in “Carrara Marble” and created the ultimate new design of the Premium 3D reinforced PVC liner, that looks and feels like real marble, joining the successful StoneFlex Range.



Stone Flex

MARBLE




WARRANTY	WARRANTY	WARRANTY	WARRANTY
15 YEARS	35°c	5 YEARS	5 YEARS
Waterproofing	Temp.	Stain Resistance	Chlorine Lightfastness

Da Vinci Blue


Matrix Series

Mosaic 3D design, featuring pearl and metal print glow over our Matrix range. Matrix surface as well as the grout, are protected with enhanced acrylic coating, demonstrating: superior stain resistance and clean-ability properties



Matrix

BLUE



Matrix


SILVER

WARRANTY 12 YEARS Waterproofing	WARRANTY 34°c Temp.	WARRANTY 5 YEARS Stain Resistance	WARRANTY 5 YEARS Chlorine Lightfastness	CERTIFICATION Public Pools YES ✓
--	----------------------------------	--	---	--

Da Vinci Blue

Matrix Metallic Series

Mosaic 3D design, featuring pearl and metal print glow over our Matrix range. Matrix surface as well as the grout, are protected with enhanced acrylic coating, demonstrating: superior stain resistance and clean-ability properties



Matrix

Metallic BLUE



Matrix

Metallic GRAY

WARRANTY 12 YEARS Waterproofing	WARRANTY 34°c Temp.	WARRANTY 5 YEARS Stain Resistance	WARRANTY 5 YEARS Chlorine Lightfastness	CERTIFICATION Public Pools YES ✓
--	----------------------------------	--	---	--


Da Vinci Blue

Stone Flex Series

Unique Stone-like design formulated with specialized enhanced surface coating, demonstrating: superior stain resistance and clean-ability properties, exceptional UV resistance, as well as dry non-slip grip.



Stone Flex
BAZELET



Stone Flex
SAND



Stone Flex
PEARL

WARRANTY	WARRANTY	WARRANTY	WARRANTY
15 YEARS	35° C	5 YEARS	5 YEARS
Waterproofing	Temp.	Stain Resistance	Chlorine Lightfastness



Da Vinci Blue Pool Gallery —

Stone Flex **MARBLE**


Project : Private House
Location : Chiang Mai
Design : Rectangular with Waterfall
Size : 12.00 x 4.00 m.
Color: Stone Flex MARBLE



Da Vinci Blue Pool Gallery

Stone Flex MARBLE

Project : Private House
Location : Bangkok
Design : Rectangular + Comfort Spa Seat
Size : 12.00 x 4.00 m.
Color: Stone Flex MARBLE



Da Vinci Blue Pool Gallery

Matrix BLUE



Project : Private House
Location : Bangkok
Design : Rectangular
Color: Matrix BLUE



Da Vinci Blue Pool Gallery

Matrix BLUE

Project : Private House
Location : Bangkok
Design : Rectangular + Step
Color: Matrix BLUE



Da Vinci Blue Pool Gallery

Matrix SILVER

Project : VIP Galaxy, Phuket

Location : Phuket

Design : Freeform



Color: Matrix SILVER



Da Vinci Blue Pool Gallery

Matrix SILVER

Project : Poolrada Boutique Hotel
Location : Phuket
Design : Freeform
Color: Matrix SILVER





Da Vinci Blue Pool Gallery ———

Stone Flex **BAZELET**

Project : Private House
Location : Chiang Mai
Design : Rectangular
Size : 10.00 x 5.00 m.
Color: Stone Flex BAZELET

Da Vinci Blue Pool Gallery

Stone Flex BAZELET

Project : Private House
Location : Chiang Mai
Design : Rectangular + Infinity Edge
Size : 7.00 x 3.50 m.
Color: Stone Flex BAZELET



Da Vinci Blue Pool Gallery

Stone Flex **BAZELET**

Project : Private House
Location : Bangkok
Design : Rectangular
Size : 13.00 x 4.00 m.
Color: Stone Flex BAZELET



Da Vinci Blue Pool Gallery

Stone Flex SAND

Project : Private House
Location : Udonthani
Design : Freeform
Size : 6.00 x 3.00 Dept. 1.25 m.
Color: Stone Flex SAND



Da Vinci Blue Pool Gallery

Stone Flex PEARL

Project : Private House
Location : Bangkok
Design : Rectangular
Size : 5.50 x 2.50 Dept. 1.20 m.
Color: Stone Flex PEARL



Da Vinci Blue Pool Gallery ———

Matrix **Metallic BLUE**

Project : Private House
Location : Bangkok
Design : Rectangular with step
Color: Matrix Metallic BLUE





Pool Type _____

Composite Pool

Premium Fiberglass Pool

Composite Pool —————

Premium Fiberglass Pool

Our A.C.P. (Advanced Composite Pool) is the best Composite Pool on the market and come in a variety of shape and size. We have shipped pools from coast and many locations abroad Our Composite Pool are a cost effective, friendly pool choice, great for your family and the environment



Composite Pool —————

**“Premium
Fiberglass Pool
Fast installation**



Composite Pool

Pool Innovation from Australia


J.D.POOLS - BUILDS THE MOST FIBERGLASS COMPOSITE POOL
IN THE INDUSTRY (ASEAN)

Pool Innovation from Australia to J.D.Pools Factory

- 15 Year structural Warranty : strong, flexible and leak-free
- Fast Installation Times, within 7 days
- Scratch-free, Smooth, non-abrasive to skin and swim wear
- Low maintenance and reduce amount of sanitizing chemicals required.

Composite Pool

Layers of Composite Pool



ISO-NPG Gel coat 0.8-1.5 mm.

Premium Grade Pool Gelcoat

Provides superior resistance to UV, water and pool chemicals, High osmosis and calking resistance.

Vinyl Ester Corrosive Resistant Barrier 2-3 mm.

Prevents chemical, corrosion and water leakage.

Unsaturated Polyester Resin (Structure) 3-4 mm.

Strength structure

Polyester Laminate Resin (Top Coat) 2-4 mm.

Waterproof and dirt entering the inside of the pool. as well as being a reinforced structure for the strength of the pool


Composite Pool

6 Models



Swim Plus

5.50 x 2.20 m. Dept 1.25 m.




Eco Composite Pools 1

- The best selling model for the international market
- Possible paradise in a limited space
- Fully relax with seat and lounge spa style



Swim Spa

5.50 x 2.69 m. Dept 1.20 m.



Eco Composite Pools 2

- Possible paradise in a limited space
- Enjoy your spa massage with family bench style



Harvest

7.33 x 3.78m. Dept 1.14-1.56m.



The private home water park for your family

- Kidney bean shape perfect for the family with children who begin to swim
- Ensures safety with the seats at deep zone

Composite Pool

6 Models



OZ

8.30 x 4.40m. Dept 1.13-1.63m.



Somewhere pleasant to relax and exercise

- Luxury pool stairs and Party in the pool along the seating
- Great for the middle-size family and resort living niche



Caesar

9.60 x 4.25m. Dept 0.96-1.57m.



Luxury Roman Emperor Design

- Stylishly design for the athletic man, who likes the boutique atmosphere
- Roman style stair curved down to the pool on both sides



Classic

9.95 x 4.40m. Dept 0.96-1.77m.



Healthy and slender.. classic swimming pool

- Greatest rectangular shape pool for one who loves to swim
- Ensures safety with the seats in the deep zone

Composite Pool ————— Color Range

Choose you favorite color

*** These gelcoat colour sample effects are indicative only.*

allnex

allnex is the leading company globally for industrial coating resins, crosslinkers and additives



Royal Blue



Tropical Shimmer



Midnight Shimmer

New Arrival



Bahamas

Composite Pool

Installation Process



1. Pool Delivery



2. Ground Preparation
and Excavation



3. Hole Surface Preparation
and Sand Bed



4. The Pool is lowered
into the hole



5. Filtration, Plumbing
and Light installation



6. Begin filling with water
and back filling



7. Ready to enjoy

Composite Pool Gallery

Swim Plus


Project : Private House
Location : Bangkok
Model : Swim Plus
Size : 5.50 x 2.20m. Dept 1.25m.
Color: Royal Blue



Composite Pool Gallery

Swim Spa

Project : Parkway A-Liv
Location : Bangkok
Model : Swim Spa
Size : 5.50 x 2.69m. Dept 1.20m.
Color: Royal Blue





Composite Pool Gallery

Harvest

Project : Condominium
Location : Bangkok
Model : Harvest
Size : 7.33 x 3.78m. Dept 1.14-1.56m.
Color: Royal Blue

Composite Pool Gallery

OZ

Project : Private House
Model : OZ
Size : 8.30 x 4.40m. Dept 1.13-1.63m.
Color: Royal Blue



Composite Pool Gallery

Caesar

Project : Private House
Location : Ubon Ratchathani
Model : Caesar
Size : 9.60 x 4.25m. Dept 0.96-1.57m.
Color: Royal Blue



Composite Pool Gallery

Classic

Project : Private House
Location : Phuket
Model : Classic
Size : 9.95 x 4.40m. Dept 0.96-1.77m.
Color: Royal Blue





Pool Type _____

Cardio Pool

Swimming pool for exercise and hydrotherapy

Cardio Pool

Cardio Pool

Cardio Pool is a swimming pool primarily built and used for fitness and health purposes. Typically, Cardio Pool are a rectangular shape. They are a good solution for narrow or shallow residential lots in which the homeowner desires a swimming pool to get frequent exercise in the privacy of own backyard.



Cardio Pool

**“Swimming pool
for exercise and
hydrotherapy**


Cardio Pool

6 Models



Fit Series3

3.0 x 2.2 m Dept. 1.25 m (Step)




Pool Size	3.00x2.20 m
Depth	1.25 m
Pool Volume	6.82 m ³



Fit Series4

4.0 x 2.2 m Dept. 1.25 m (Step)




Pool Size	4.00x2.20 m
Depth	1.25 m
Pool Volume	9.57 m ³



Fit Series5

5.0 x 2.2 m Dept. 1.25 m (Step)



Pool Size	5.00x2.20 m
Depth	1.25 m
Pool Volume	13 m ³


Cardio Pool

6 Models



Fit Series7

7.0 x 2.2 m Dept. 1.25 m (Step)




Pool Size	7.00x2.20 m
Depth	1.25 m
Pool Volume	15.70 m ³



Lap Series9

9.0 x 2.2 m Dept. 1.25 m (Step)




Pool Size	9.00x2.20 m
Depth	1.25 m
Pool Volume	20.56 m ³



Lap Series11

11.0 x 2.2 m Dept. 1.25 m (Step)



Pool Size	11.00x2.20 m
Depth	1.25 m
Pool Volume	25.44 m ³


Cardio Pool

X3 Series



X3 Series6

6.25 x 3.25 m. Dept 1.25 m. (Step)




Pool Size	6.00×3.00 m
Depth	1.25 m
Pool Volume	18.10 m ³



X3 Series8

8.25 x 3.25 m. Dept 1.25 m. (Step)



Pool Size	8.00×3.00 m
Depth	1.25 m
Pool Volume	24.76 m ³



Cardio Pool Gallery

Fit Series 5

Project : The Standard Hua Hin
Location : Hua Hin
Model : Fit Series 5
Size : 5.0 x 2.2 m. Dept 1.25 m. (Step)
Color: Tropical Shimmer





Cardio Pool Gallery

Fit Series 5

Project : The Standard Hua Hin
Location : Hua Hin
Model : Fit Series 5
Size : 5.0 x 2.2 m. Dept 1.25 m. (Step)
Color: Tropical Shimmer




Cardio Pool Gallery

Fit Series 5

Project : MONO Koh Keaw
Location : Phuket
Model : Fit Series 5
Size : 5.0 x 2.2 m. Dept 1.25 m. (Step)
Color: Midnight Shimmer





Cardio Pool Gallery

Fit Series 5

Project : UTOPIA CORPORATION
Location : Phuket
Model : Fit Series 5
Size : 5.0 x 2.2 m. Dept 1.25 m. (Step)
Color: Midnight Shimmer



Pool Type _____

Family Pool

F9

Relationship of Design

Family Pool F9

Family Pool F9

Swimming pool for the whole family, versatile luxurious design and combines for multi purpose. Sporty long rectangular shape that can swim along the line, connect to a relaxing whirlpool spa and kid zone with superior luxury spa features.

- Jacuzzi Spa
- Lounger
- Foot Massage Jet
- Kid Zone
- Multi Color LED




Family Pool F9

**“Swimming pool
for the whole
family**

Family Pool F9

Pool Detail

External Size	9.33 x 3.33 m.
Internal Size	9.00 x 3.00 m.
Swim Area	7.00 x 3.00 m. (1.25 m. Dept)
Spa Pool Size	2.20 x 2.10 m. (0.90 m. Dept)
Lounger	1 Seat
Spa Seat	3 Seat
Entry Step	0.75 m. Wide 0.25 m. Step High
Pool Volume	27 Cubic Meter
Pool Perimeter	25.32 Meter
Pool Filter	1 Filter Skimmer
Pool Pump	Badu 47/16
Inlet	1 JD Eyeball + 1 Bypass in Spa
Pool Light	3 Light





Pool Type _____

Aqua Touch

HOT & COLD – MINERAL –SPA POOL

Aqua Touch —————

Aqua Touch

HOT & COLD – MINERAL –SPA POOL

- Luxurious design
- Compact size
- Save energy with inverter technology
- Use up to 5 people at the same time
- There is a filtration and water treatment system. don't leave water
- Sterilize with ozone and has a mineral water system to nourish the skin
- Heats water up to 40°C
- Cools water up to 8°C



Aqua Touch —————

“Hot & Cold - Mineral - Spa Pool

Aqua Touch

Aqua Touch Component

Pool Cover

Pool cover to help control the temperature.



Nano Ceramic

Water Proof, Fire Resistant, Breathable, Heat Insulator, Heat reflexion >80%



Heat Pump

Pool heat pump control water temperature hot/warm/cold




Mineral Swim

Combines 100% natural Dead Sea minerals with ozone-to-oxygen water purification



Pools Filter


Intelligent Filter



Aqua Touch

Pool Detail

Pool Size	2.07x 1.89 m.
Dept.	0.91 m.
Lounger	1 Seat
Spa Seat	4 Seat
Pool Filter	1 Filter Skimmer
Pool Light	1 Light



Aqua Touch

Aqua Touch DIY

01.



02.



03.





Special Option

- + Mineral Swim
- + Salt Chlorinator
- + Fastlane
- + Automatic Pool Cover
- + Pool Heating
- + Pools Cleaning Robot

Mineral Swim —————

Mineral Swim

A truly unique swimming experience.

Combines 100% natural Dead Sea minerals with ozone-to-oxygen water purification and natural skincare to create therapeutic, healthy and crystal clear swimming experiences.



Mineral Swim —————

**"100% Dead Sea
Minerals**

Mineral Swim —————

3 Unique Elements

A Truly Unique Swimming Experience Recreate the relaxing natural, healthy pool experience that people have enjoyed for thousands of years at the Dead Sea. The Mineral Swim System is the combination of three unique elements:



01. Minerals

Mineral Swim is the New Natural
- Just one ingredient - mineral
rich 100% Dead Sea Minerals

02. Ozone

Ozone's natural power up to
3000 times more powerful
than traditional sanitation
systems

03. SERVICE

Exceptional Experience -
Customer care service for
peace of mind

Mineral Swim —————

100% Dead Sea Minerals

Delivering a range of health and well-being benefits. The magnesium rich Dead Sea minerals have been known to:

- Enhance pool water quality – softer and more gentle than traditional salt and chlorine pools - ideal for sensitive skin.
- Reduce chemical and water usage - offering a more environmentally friendly solution.
- Provide exceptional water clarity - magnesium is a natural flocculant.
- Help to ease muscle tension.
- Stimulate skin hydration and soften the skin.
- Recreate a natural mineral pool that people have enjoyed for centuries at the Dead Sea.
- Detoxify and regenerate the skin, boosting it's natural defence system.





Mineral Swim —————

Ozone-to-Oxygen Purification


Ozone is the smart, environmentally friendly choice for pools and spas. Using technology to produce ozone (O₃), a naturally occurring and extremely powerful oxidiser that when combined with mineral sanitation provides the ultimate in pool care.น้ำในสระดีต่อสุขภาพ

- Healthier pool water
- Dual purification and safe sanitisation
- Crystal clear and odour-free
- Gentle on eyes and soft on skin
- Enhances water balance
- Compatible with any existing pool system

Mineral Swim —————

How ozone work?

- **GENERATION** - Oxygen converted to pure Ozone
- **PURIFICATION** - Ozone immediately oxidises and neutralises harmful contaminants (organics, bacteria and viruses)
- **REVERT TO NATURE** - Ozone breaks down into Oxygen after sanitising pollutants
- **RESULTS** - Noticeably softer and clearer pool water with no residual odour



Salt Chlorinator _____

Salt Chlorinator

The Natural Salt Chlorinator Naturally take care of water conditions. It sustains the pool with no chlorine treatment, no acid smell, and no sensitive effects to eyes, hair and skin like darken the spot melanin; from along time swimming. In addition to this, corporately works well with the respiratory system which children or allergy patients are able to swim in this Natural Salt Chlorinator pool. This great innovation Natural Salt Chlorinator can be best staying in accordance with the Liner or Composite finishing.



Salt Chlorinator _____

**“No acid smell,
and no sensitive
effects to eyes**

Salt Chlorinator

Salt Chlorinator

- No chemical chlorine, no distinct odor
- Environment friendly
- No eye irritation, no hair damage
- No stickiness and irritation to skin
- Operate through automatic controller



FEATURE	X30CL	X20CL	X10CL
Maximum working pressure	480kPa		
Water temperature range	5°- 35°C		
Maximum ambient temperature	55°C		
IP rating	IP24		
Main volts 50Hz 16A	230V 50Hz		
Power output	300VA	200VA	100VA
Volt output	17V DC		
Current output (maximum)	18Amp	12Amp	6Amp
Pump Voltage	230V 50Hz		
Salt level	4000 ppm		
Cell Material	Titanium		
Chlorine produce	30 g/hr	20 g/hr	10 g/hr
Pool volume	90,000 L	60,000 L	30,000 L
Max flow rate	450 LPM	300 LPM	150 LPM
Two digital time clocks for pool filter	Yes		
Variable self cleaning salt cell timer	Yes		
Variable chlorine output control	Yes		
Pump run dry protection	Yes		
12v 100w supply for Pool Light	Yes		
Pool Light timer	Yes		

Fastlane

Fastlane

The Fastlane produces a smooth, quiet, adjustable-speed current. Set the water speed to any pace you choose, and swim at home. Fully adjustable for swimmers of all abilities, from beginners to Olympians, the Fastlane also provides resistance for aqua aerobics, hydrotherapy, and water jogging/running.



Fastlane

**"A swim current
generator for **any
pool****

Fastlane

The Fastlane is so easy to operate





- Press the ON/OFF button on your remote control to start the current
- Adjust the speed to your desired pace
- Swim into the current and keep swimming
- Change speed with the FASTER and SLOWER buttons
- To stop, simply swim out of the current and press the ON/OFF button



Fastlane

Size & Installation

Fastlane




Fastlane

Wall Mount Fastlane

The wall mount Fastlane

- For new construction or renovation jobs
- No deck obstructions
- Choice of colors

1. Swim Unit
2. Intake grill
3. Outlet grill
4. Stainless steel grab bar
5. Wall Mount Bracket
6. Power Unit
7. Hydraulic Hose System




Fastlane

Deck Mount Fastlane

The deck mount Fastlane

- Simple, drop-in convenience
- Adaptable to all coping systems
- Can easily be relocated

1. Swim Unit
2. Intake grill
3. Outlet grill
4. Deck Cover
5. Hydraulic Hoses
6. Power Unit



Automatic Pool Cover

Automatic Pool Cover

Keep your pool clean – keep dirt, leaves and debris away from your pool. Simply close the cover whenever you do not use the pool, to keep it crystal clear. The cover reduces pool cleaning and maintenance. Provides safety-super strong to protect children, pet and help prevent pool related accidents. Saves chemicals – Save money on chemicals because usage is reduced due to the lowered evaporation. The pool chemical generally last twice as long.



Automatic Pool Cover

**“Technology
from Norway**

Automatic Pool Cover

Automatic Pool Cover

Open-Close in 30 seconds



Pool Heating —————

Pool Heating

J.D.Pools Heat Pump, specially designed for energy efficient yet powerful heat pumps suitable for most residential pool and spa. Temperature can heat up to 40 degree and both chlorine and salt water pool are accepted. Compares to other heaters, heat pumps can operate for up to 80% less. Our model feature both heating and cooling functions. Can provide all year swimming for the most domestic pool across Thailand.



Pool Heating —————

"Swimming Pool Heat Pump Hot/Cold

Pool Heating

Pool Heating

- Full DC Twin-Rotary Inverter Compressor and Brushless DC Inverter Motor with infinitely variable speed
- Soft-starter (wide start-up voltage range)
- Intelligent controller
- Wifi capability with dedicated user-friendly app
- 3 operating modes (Silent / Smart / Boost)
- Heating and cooling function
- Higher COP
- Lower noise (inverter technology and insulated compressor)
- Smart defrost
- Very low working temperatures up to -15°C
- Environmentally-friendly R32 or R410 gas



Pool Heating

Pool Heating Specification

MODEL		i5	i7	i9	i11	i17	i25	i29
Advised Pool Volume (m3) with insulating/isotheramal cover		10~20	15~30	20~40	25~50	35~70	65~110	70~120
PERFORMANCE								
Heating* Air 26°C/Water 26°C Humidity 80%	Capacity (kW)	1.6~5.3	1.6~7.2	1.9~9.2	2.7~10.9	4.3~17.4	6.2~25.1	6.6~29
	Power input (kW)	0.13~0.88	0.13~1.19	0.13~1.28	0.18~1.74	0.29~2.85	0.4~3.8	0.46~4.42
	COP	6.25~14.5	6.22~14.55	6.24~14.71	6.27~14.8	6.0~14.5	6.2~14.52	6.1~14.54
Heating* Air 15°C/Water 26°C Humidity 70%	Capacity (kW)	1.1~3.8	1.3~5.1	1.6~5.95	2.18~8.13	3.49~13	5.15~18.52	5.43~21.28
	Power input (kW)	0.14~0.75	0.17~1.06	0.21~1.2	0.28~1.59	0.47~2.64	0.61~3.6	0.73~4.1
	COP	5.1~7.9	4.8~7.8	5~7.7	4.9~7.8	4.85~7.44	4.91~7.53	4.95~7.51
Cooling* Air 35°C/Water 28°C Humidity 80%	Capacity (kW)	1.5~2.8	1.7~3.6	1.8~4.6	2.4~6.0	3.9~9.6	5.8~13.9	6.2~16
	Power input (kW)	0.2~0.62	0.22~0.8	0.28~1.2	0.33~1.39	0.51~2.3	0.73~3.1	0.82~3.48
	EER	4.51~7.55	4.48~7.53	4.47~7.46	4.32~7.34	4.24~7.4	4.15~7.22	4.29~7.54

Pool Cleaning Robot

Pool Cleaning Robot

J.D.Pools provides solutions for swimming pool care. Our range of automatic pool cleaners, environment-friendly water treatment systems and pool safety products – delivers an exceptional pool experience.



Pool Cleaning Robot

**“Superior Pool
Cleaning Made
Easy**

Active Series

Active 10

90° Wall Scrubbing

- Optional to replace the filter from fine to ultra fine Basket
- Upgrade filtration with fine and ultra-fine dirt capture
- Active brush rotates at 2x the speed of the robot, resulting in enhanced cleaning capabilities



Active 20

Power Stream System

- Optional to replace the filter from fine to ultra fine cartridge
- Active brush rotates at 2x the speed of the robot
- Complete coverage of all pool surfaces – with PowerStream mobility system



Active 30i

Smartphone Intelligent Control

- Multi-layer filtration with fine and ultra-fine dirt capture
- Active brush rotates at 2x the speed of the robot, resulting in enhanced cleaning capabilities
- Complete coverage of all pool surfaces with PowerStream mobility system



Pool Cleaning Robot

Active Series



MODEL	Active 10	Active 20	Active 30i
CleverClean™ Pool Coverage	✓	✓	✓
Active brushing	✓	✓	✓
Lightweight Ergonomic Design	✓	✓	✓
Fast Water Release	✓	✓	✓
Designed for Fast Fix Easy repair	✓	✓	✓
Two-wire, 12 m cable	✓		
Two-wire, 18 m cable		✓	
Three-wire, 18 m cable			✓
PowerStream Mobility System		✓	✓
Basic On-Off Energy Saver Power Supply	✓	✓	✓
Easy-Clean Net and Ultra-fine Filter	✓	✓	
Mult-Layer Filter			✓
Caddy			✓
MyDolphin-Smartphone Control App			✓

Pool Cleaning Robot

Commercial Series

Commercial C5

The C5 Robot Pool Cleaner is proven profession pool cleaner that is suited to mid-sized pools up to 25m

- Cleverclean™ Coverage ensure the maximum area is cleaned on each cycle.
- Fully automated operation and highly effective brushing and filtering deliver heavy-duty cleaning performance.



Commercial C6 PLUS

The C6 Plus Robot Pool Cleaner is powerhouse all-round solution for larger aquatic pools up to 50 m.

- Heavy duty cleaning performance with robust reliability and ease maintenance for long-term effective use.
- Accurate, full coverage scanning and high capacity filtration ensures clean and hygienic pool water.



Pool Cleaning Robot

Commercial Series



MODEL	C5	C6 Plus
Swivel - Patented, prevents cable tangling	✓	✓
Recommended for pools up to 25 m long Cable length 30m	✓	
Recommended for pools up to 50 m long Cable length 40m		✓
Advanced Remote-Control	✓	✓
Digital «Switch-Mode» power-supply, with "Filter Full"	✓	✓
2 types of filter bag "Ultra Fine", "Fine"	✓	✓
Cleans the pool floor, walls and water-line	✓	✓
Caddy	✓	✓
Dynamic driving system	✓	✓
Suction rate 4226g/hr	✓	
Suction rate 8452g/hr		✓



New Products


Crystal Pool

Technical systems for the repair and construction
of swimming pools

Crystal Pool


Crystal Pool System for iPANEL POOL

- S1 STEEL Brand-new self-adhesive waterproofing membrane (adhesive resistant to ground water)
- Band hyperflex 12cm corner membrane
- X-coll Waterproofing adhesive
- S2 membrane Floor Waterproofing Membrane resistant to sun exposure



Crystal Pool

Installation Detail



Crystal Pool —————

Crystal Pool Installation

01. Clean out dust from iPanel wall & floor.



02. Attach S1 STEEL to all iPanel Wall.



Crystal Pool

Crystal Pool Installation

03. Fill gap Between two joint of S1 STELL with X-Coll and overlay with Hyperflex Band.



Crystal Pool

Crystal Pool Installation

- 04.** Mixing small amount of X-coll (Fast Dry) and pour on the floor with 4.0 mm. thickness then overlay with S2 Membrane.



Crystal Pool

Crystal Pool Installation

- 05.** Between two S2 Membrane gap, plaster with X-Coll then put Hyperflex Band on X-coll and plaster with X-coll again.



- 06.** Fill gap between wall and floor with X-coll, and overlay with Hyperflex Band then plaster with X-coll.



Crystal Pool —————

Crystal Pool Installation

- 07.** At the steps and bench, plaster with 4.0 mm. thick X-coll (Mixing small amount of X-coll (Fast Dry))



Crystal Pool

Crystal Pool Installation

08. For gap between steps or bench, use X-coll to plaster and overlay with Hyperflex band then plaster X-coll on top of Hyperflex band again.

09. For all wall & floor, plaster with 4.0 mm. thick X-coll.



Crystal Pool

Crystal Pool Installation

10. Tile with tile adhesive.



11. Grout tile with epoxy based grout and clean the working area.





New Products

Vodes BlueWave

Electro chlorination systems

BlueWave

Vodes BlueWave

Applying the electrolysis principle with open cell construction, a common salt solution is used to produce a stock of sodium hypochlorite solution on site that is stable when stored. All functional components, like control, brine pump, tubular cell, water distribution valve and hydrogen separator are mounted on a wall mounting plate made of polyethylene. The cover (yellow) for the wall mounting plate is provided with a tucked-in closure and can be removed with a single movement. The salt saturation tank with built-in water softener and the product tank are set up separately. Extra large tanks can be used on request. Use of chemically resistant and process-compatible materials such as titanium, PVC-U and LLDPE. The operating mode is visualised via an LED display on the control unit. The regeneration intervals of the integrated water softening plant vary, depending on the hardness of the used fill-up water. Installation only indoors, or outdoors with housing. A separate technical room is not required. The used operating resources (salt, electricity, water) are safe.



BlueWave

How it Work

